

[illegible]

For: **RANDOM SIGNAL GENERATOR**

SIGNATURE: Dawn Kimler

17. A random signal generator comprising:  
an electronic noise source comprising a folded MOS transistor having a drain-source current with a random component; and  
a circuit for generating a digital signal based upon

In re Patent Application of:  
**MARINET ET AL.**  
Serial No. **Not yet assigned**  
Filing Date: **Herewith** \_\_\_\_\_/

the random component.

18. A random signal generator according to Claim 17, wherein said folded MOS transistor comprises a drain and a source with a channel defined therebetween, with the channel being S-shaped and having a size that is at a resolution limit based upon manufacturing technology.

19. A random signal generator according to Claim 17, wherein said folded MOS transistor comprises a drain and a source with a channel defined therebetween, with the channel being zigzag-shaped and having a size that is at a resolution limit based upon manufacturing technology.

20. A random signal generator according to Claim 17, further comprising a reference transistor connected to said folded MOS transistor, said reference transistor receiving a gate voltage and a bias current equal to a gate voltage and a bias current applied to said folded MOS transistor for causing the drain-source current therefrom to randomly vary.

21. A random signal generator according to Claim 17, further comprising a comparison circuit for comparing the randomly varying drain-source current to a detection current.

22. A random signal generator according to Claim 21, wherein said comparison circuit determines a difference between the randomly varying drain-source current and the detection current; and further comprising an amplifier for amplifying the difference.

23. A random signal generator according to Claim 17,

In re Patent Application of:  
**MARINET ET AL.**  
Serial No. **Not yet assigned**  
Filing Date: **Herewith**

---

wherein said circuit comprises a sampling circuit for sampling the digital signal for providing a random digital word.

24. A random signal generator according to Claim 17, further comprising an integrating circuit for maintaining a gate voltage on said folded MOS transistor within a desired range of values.

25. A random signal generator circuit comprising:  
a plurality of random signal generators, each random signal generator comprising  
an electronic noise source comprising a folded MOS transistor having a drain-source current with a random component, and  
a circuit for generating a digital signal based upon the random component; and  
a logic circuit connected to said plurality of random signal generators for combining the digital signals for generating a digital number.

26. A random signal generator circuit according to Claim 25, wherein each folded MOS transistor comprises a drain and a source with a channel defined therebetween, with the channel being S-shaped and having a size that is at a resolution limit based upon manufacturing technology.

27. A random signal generator circuit according to Claim 25, wherein each folded MOS transistor comprises a drain and a source with a channel defined therebetween, with the channel being zigzag-shaped and having a size that is at a resolution limit based upon manufacturing technology.

In re Patent Application of:

**MARINET ET AL.**

Serial No. **Not yet assigned**

Filing Date: **Herewith**

---

28. A random signal generator circuit according to Claim 25, wherein each random signal generator further comprises a reference transistor connected to said folded MOS transistor, said reference transistor receiving a gate voltage and a bias current equal to a gate voltage and a bias current applied to said folded MOS transistor for causing the drain-source current therefrom to randomly vary.

29. A random signal generator circuit according to Claim 25, wherein each random signal generator further comprises a comparison circuit for comparing the randomly varying drain-source current to a detection current.

30. A random signal generator circuit according to Claim 29, wherein each comparison circuit determines a difference between the randomly varying drain-source current and the detection current; and wherein each random signal generator further comprises an amplifier for amplifying the difference.

31. A random signal generator circuit according to Claim 25, wherein each circuit comprises a sampling circuit for sampling the digital signal for providing a random digital word; and wherein said logic circuit generates the digital number based upon the random digital word.

32. A random signal generator circuit according to Claim 25, wherein each random signal generator further comprises an integrating circuit for maintaining a gate voltage on said folded MOS transistor within a desired range.

33. An integrated circuit comprising:

In re Patent Application of:

**MARINET ET AL.**

Serial No. **Not yet assigned**

Filing Date: **Herewith**

---

a random signal generator circuit for generating a random digital number comprising

an electronic noise source comprising a folded MOS transistor having a drain-source current with a random component, and

a logic circuit for generating the random digital number based upon the random component;

a communications module connected to said random signal generator circuit for transmitting the random digital number to an external terminal; and

a processor connected to said random signal generator circuit for receiving the generated random digital number, and for transforming the generated random digital number based upon an authentication function that uses a secret key;

said processor comparing a result of the authentication function to a result of an authentication function provided by the external terminal in response to the random digital number being sent thereto, and authorizing a transaction with the external terminal if the comparison is a match.

34. An integrated circuit according to Claim 33, wherein the integrated circuit is a portable electronic device.

35. An integrated circuit according to Claim 34, wherein the portable electronic device comprises a smart card.

36. An integrated circuit according to Claim 33, wherein said folded MOS transistor comprises a drain and a source with a channel defined therebetween, with the channel

In re Patent Application of:  
**MARINET ET AL.**  
Serial No. **Not yet assigned**  
Filing Date: **Herewith**

---

being S-shaped and having a size that is that is at a resolution limit based upon manufacturing technology.

37. An integrated circuit according to Claim 33, wherein said folded MOS transistor comprises a drain and a source with a channel defined therebetween, with the channel being zigzag-shaped and having a size that is that is at a resolution limit based upon manufacturing technology.

38. An integrated circuit according to Claim 33, further comprising a reference transistor connected to said folded MOS transistor, said reference transistor receiving a gate voltage and a bias current equal to a gate voltage and a bias current applied to said folded MOS transistor for causing the drain-source current therefrom to randomly vary.

39. An integrated circuit according to Claim 33, further comprising a comparison circuit for comparing the randomly varying drain-source current to a detection current.

40. An integrated circuit according to Claim 39, wherein said comparison circuit determines a difference between the randomly varying drain-source current and the detection current; and further comprising an amplifier for amplifying the difference.

41. An integrated circuit according to Claim 33, further comprising an integrating circuit for maintaining a gate voltage on said folded MOS transistor within a desired range of values.

42. A method for generating a random number from an

In re Patent Application of:

**MARINET ET AL.**

Serial No. **Not yet assigned**

Filing Date: **Herewith**

---

electronic noise source, the method comprising:

providing a folded MOS transistor having a drain-source current with a random component;

generating a random digital signal based upon the random component.

43. A method according to Claim 42, wherein the folded MOS transistor comprises a drain and a source with a channel defined therebetween, with the channel being S-shaped and having a size that is at a resolution limit based upon manufacturing technology.

44. A method according to Claim 42, wherein the folded MOS transistor comprises a drain and a source with a channel defined therebetween, with the channel being zigzag-shaped and having a size that is at a resolution limit based upon manufacturing technology.

45. A method according to Claim 42, further comprising:

providing a reference transistor connected to the folded MOS transistor; and

providing a gate voltage and a bias current to the reference transistor, the gate voltage and the bias current being equal to a gate voltage and a bias current applied to the folded MOS transistor for causing the drain-source current therefrom to randomly vary.

46. A method according to Claim 42, further comprising comparing the randomly varying drain-source current to a detection current.

In re Patent Application of:

**MARINET ET AL.**

Serial No. **Not yet assigned**

Filing Date: **Herewith**

---

47. A method according to Claim 46, wherein the comparing comprises determining a difference between the randomly varying drain-source current and the detection current; and further comprising amplifying the difference.

48. A method according to Claim 42, wherein the sampling comprises providing a random digital signal based upon the sampled random binary signal, and further comprising generating the random number based upon the random digital signal.

49. A method according to Claim 42, further comprising maintaining a gate voltage on the folded MOS transistor within a desired range of values.

#### REMARKS

It is believed that all of the claims are patentable over the prior art. For better readability and the Examiner's convenience, the newly submitted claims differ from the translated counterpart claims which are being canceled. The newly submitted claims do not represent changes or amendments that narrow the claim scope for any reason related to the statutory requirements for patentability. Accordingly, after the Examiner completes a thorough examination and finds the claims patentable, a Notice of Allowance is respectfully requested in due course. Should the Examiner determine any minor informalities that need to be addressed, he is



In re Patent Application of:

**MARINET ET AL.**


Serial No. **Not yet assigned**

Filing Date: **Herewith**

---

encouraged to contact the undersigned attorney at the  
telephone number below.

Respectfully submitted,

  
\_\_\_\_\_  
ASHKAN NAJAFI  
Reg. No. 49,078  
Allen, Dyer, Doppelt, Milbrath  
& Gilchrist, P.A.  
255 S. Orange Avenue, Suite 1401  
Post Office Box 3791  
Orlando, Florida 32802  
407-841-2330  
407-841-2343 fax  
Attorneys for Applicants

TTT "8888888888"

